

Exit Signs & Emergency Visibility

NCC Compliant products to meet BCA Vol 1
E4.8 Design and Operation of Exit Signs
and EP4.1 Visibility in an Emergency

 ecoglo®

VISIBLY BETTER

www.ecoglo.com.au



Emergency Exit Signs

Luminance is NATA Tested to meet BCA Vol 1 Spec E4.8

Larger sizes of all signs can be manufactured to order for use in Performance Solutions based on BCA Vol 1 Specification E4.8



Pictogram

Exit straight on from here
Maximum Viewing Distance: 16 metres
Product No: S20-RM2916-16m
Size 290mm x 162mm




Pictogram Exit straight on from here
Maximum Viewing Distance: 24 metres
Product No: S20-RM4223-24m
Size 420mm x 230mm



Pictogram Left

Exit to left from here
Maximum Viewing Distance: 16 metres
Product No: S20-RML2916-16m
Double Sided: DSS20-RMD2916-16m
Size 290mm x 162mm



Pictogram Left

Exit to left from here
Maximum Viewing Distance: 24 metres
Product No: S20-RML4223-24m
Double Sided: DSS20-RMD4223-24m
Size 420mm x 230mm



Pictogram Hi Vis

Exit straight on from here
Maximum Viewing Distance: 16 metres
Product No: S20-RM2916HV-16m
Size 290mm x 162mm



Pictogram Hi Vis

Exit straight on from here
Maximum Viewing Distance: 24 metres
Product No: S20-RM4223HV-24m
Size 420mm x 230mm




Pictogram Double Arrow

Exit right or left from here
Maximum Viewing Distance: 16 metres
Product No: S20-RMRL2916-16m
Double Sided: DSS20-RMRL2916-16m
Size 290mm x 162mm




Pictogram Double Arrow

Exit right or left from here
Maximum Viewing Distance: 24 metres
Product No: S20-RMRL4223-24m
Double Sided: DSS20-RMRL4223-24m
Size 420mm x 230mm



Pictogram Right

Exit to right from here
Maximum Viewing Distance: 16 metres
Product No: S20-RMR2916-16m
Double Sided: DSS20-RMD2916-16m
Size 290mm x 162mm



Pictogram Right

Exit to right from here
Maximum Viewing Distance: 24 metres
Product No: S20-RMR4223-24m
Double Sided: DSS20-RMD4223-24m
Size 420mm x 230mm



Pictogram Double Arrow Hi Vis

Exit right or left from here
Maximum Viewing Distance: 16 metres
Product No: S20-RMRL2916HV-16m
Double Sided: DSS20-RMRL2916HV-16m
Size 290mm x 162mm



Pictogram Double Arrow Hi Vis

Exit right or left from here
Maximum Viewing Distance: 24 metres
Product No: S20-RMRL4223HV-24m
Double Sided: DSS20-RMRL4223HV-24m
Size 420mm x 230mm

Ancillary Signs

For use in Performance Solutions
based on BCA Vol 1 Specification E4.8



Exit
Exit straight on from here
Maximum Viewing Distance: 16 metres
Product No: S20-EX2313-16m
Size 230mm x 133mm



Exit
Exit straight on from here
Maximum Viewing Distance: 24 metres
Product No: S20-EX2916-24m
Size 290mm x 162mm




No Exit
Do not use this door to exit in an emergency
Maximum Viewing Distance: 16 metres
Product No: S20-NE4113-16m
Size 410mm x 133mm



Emergency Exit
Use this door only to exit in an emergency
Maximum Viewing Distance: 16 metres
Product No: S20-EE6128-16m
Size 610mm x 280mm




Arrow
Travel in this direction
Product No: S20-AR1313
Size 133mm x 133mm
For use with:
S20-EX2313-16m



Arrow
Travel in this direction
Product No: S20-AR1616
Size 162mm x 162mm
For use with:
S20-RM1616-16m
and S20-EX2916-24m



Emergency Exit
Use this door only to exit in an emergency
Maximum Viewing Distance: 24 metres
Product No:
S20-EE7835-24m
Size 785mm x 350mm



Arrow
Travel in this direction
Product No: S20-AR2323
Size 230mm x 230mm
For use with: S20-RM2323-24m

Adhesives

Adhesive for Escape Route Products



Caulking Gun

CLKGUN-600ml
To take 600ml Adhesive Sausage

Polyurethane Adhesive



BSKSNF-600ml
Pricing available on request

Mounting Brackets


Side and Top Mounting Brackets



Chain Suspension for Signs

Chain available in

- 1 metre,
- 2 metre and
- 3 metre lengths




PRODUCT CODE	PRODUCT NAME	CEILING MOUNT BRACKET	WALL MOUNT BRACKET
S20-RM2916-16m	Pictogram	B1-290	B1-162
S20-RM4223-24m	Pictogram	B1-420	B1-230
S20-RM2916HV-16m	Pictogram Hi Vis	B1-290	B1-162
S20-RM4223HV-24m	Pictogram Hi Vis	B1-420	B1-230
S20-RMR2916-16m	Pictogram Right	B1-290	B1-162
S20-RMR4223-24m	Pictogram Right	B1-420	B1-230
S20-RML2916-16m	Pictogram Left	B1-290	B1-162
S20-RML4223-24m	Pictogram Left	B1-420	B1-230
DSS20-RMD2916-16m	Double Directional	B1-290	B1-162
DSS20-RMD4223-24m	Double Directional	B1-420	B1-230
S20-RMRL2916-16m	Double Arrow	B1-290	B1-162
S20-RMRL4223-24m	Double Arrow	B1-420	B1-230
DSS20-RMRL2916-16m	Double Arrow Double Sided	B1-290	B1-162
DSS20-RMRL4223-24m	Double Arrow Double Sided	B1-420	B1-230
S20-RMRL2916HV-16m	Double Arrow Hi Vis	B1-290	B1-162
S20-RMRL4223HV-24m	Double Arrow Hi Vis	B1-420	B1-230
DSS20-RMRL2916HV-16m	Double Arrow Hi Vis Double Sided	B1-290	B1-162
DSS20-RMRL4223HV-24m	Double Arrow Hi Vis Double Sided	B1-420	B1-230
S20-EX2313-16m	Exit	B1-230	B1-133
S20-EX2916-24m	Exit	B1-290	B1-162
S20-EE6128-16m	Emergency Exit	B1-610	B1-280
S20-EE7835-24m	Emergency Exit	B1-785	B1-350
S20-NE4113-16m	No Exit	B1-410	B1-133
S20-AR1313	Arrow	B1-133	B1-133
S20-AR1616	Arrow	B1-162	B1-162
S20-AR2323	Arrow	B1-230	B1-230

Escape Route Products To meet Emergency Lighting Requirements

NCC 2016 BCA Vol 1 Clause EP4.1

F14-175 Step Nosing 85mm x 10mm


Available in standard lengths from 600mm to 1500mm in 100mm increments



Supplied pre-drilled with fixers.
Adhesive and caulking gun available separately

F4-171 Step Nosing 68mm x 33mm


Available in standard lengths from 600mm to 1500mm in 100mm increments



Supplied pre-drilled with fixers.
Adhesive and caulking gun available separately

E14-075 Step Edge Contrast 64mm


Available in standard lengths from 600mm to 1500mm in 100mm increments



Adhesive and caulking gun available separately

E2-071 Step Edge Contrast 37mm

Available in standard lengths from 600mm to 1500mm in 100mm increments



Adhesive and caulking gun available separately


E14-075 Polyurethane adhesive fixing
E14-075P Punched for screw fixing

E2-071 Polyurethane adhesive fixing
E2-071P punched for screw fixing


Escape Route Products To meet Emergency Lighting Requirements

NCC 2016 BCA Vol 1 Clause EP4.1


MS-26 Handrail Wall Strip 26mm Available in 1000mm lengths



G3-001 Guidance Strip 16mm Available in 1000mm lengths




H3-001 Handrail Marker 16mm Available in 1000mm and 1500mm lengths



H3-001T-1000 Release tape pre-fitted
H3-001T-1500 Release tape pre-fitted

G4-001 Guidance Strip 12.5mm Available in 1000mm lengths




G4-001-1000 Polyurethane adhesive fixing
G4-001P-1000 Punched for screw fixing
G4-001T-1000 Release tape pre-fitted

Escape Route Products To meet Emergency Lighting Requirements


NCC 2016 BCA Vol 1 Clause EP4.1

G7-100 Solaris Path Marker Available in 100mm lengths




G7-100 Polyurethane adhesive fixing
 G7P-100 Punched for screw fixing
 G7T-100 Release tape pre-fitted

T6-101 Path Marker Available in 1000mm lengths




T6-101-1000 Polyurethane adhesive fixing
 T6-101P-1000 Punched for screw fixing

T5-101 Path Marker Available in 1000mm lengths



T5-101-1000 Polyurethane adhesive fixing
 T5-101P-1000 Punched for screw fixing

Door Handle Marker Use this to highlight a door handle in an emergency



SQ60 Release tape pre-fitted


2 CODES - ONE SOLUTION *

Attention Designers & Project Managers

Ecoglo has the solution for both
accessibility and emergency
lighting in the one quality product.

*
Satisfy BCA Vol 1 clause D3.3a (AS1428.1)
and clause EP4.1 with Ecoglo F14-175 Step
Nosing or Ecoglo E14-075 Step Edge Contrast.

As well as meeting AS1428.1, the F14-175 can be
used as a performance solution to meet or enhance
emergency lighting in daylight or outdoor stairways.



F14-175 Step Nosing,
anodised 20 microns

 **ecoglo**®

VISIBLY BETTER

Ecoglo Australia

Email: Australia@Ecoglo.com

www.ecoglo.com.au